

PRODUCT CATALOGUE

EURONET CCTV KIT 2026



Welcome to the Euronet 2026 CCTV & Surveillance Catalogue, your comprehensive guide to premium, ISO 9001:2015 certified security solutions designed for both homes and businesses. Inside, you will discover our two core product lines: Section I (Wired DVR Kits) features rock-solid, ultra-stable coaxial AHD systems available in 4 and 8-channel configurations with up to 5MP Ultra-HD clarity, ideal for long-distance coverage. Section II (Wireless NVR Kits) offers high-speed, cable-free 1080P Wi-Fi setups for quick, hassle-free installation. Every single out-of-the-box kit in this Catalogue comes completely provisioned with everything you need, including IP66 weatherproof cameras, automatic 20m night vision, smart H.265 storage efficiency, and seamless remote management via the Euronet IoT App, providing you with an all-in-one, 24/7 surveillance solution right out of the box.

POWERING PROGRESS ACROSS THE GLOBE

3000+
Distributors

15+
Industries

60+
Countries & Region


24/7 Intelligent Assistance

Sales Support and
After Sales Support




250+

Product Categories & SKUs



Design

Innovative design
shapes our products
combining functionality,
efficiency, and aesthetics
to meet diverse global
energy needs.



Globally Certified Excellence

Certified to meet
global standards




One Stop Ecosystem

Complete digital
ecosystem



20+

Years of Excellence



Download the myEuronet App

myEuronet is the official app for Euronet customers, distributors, installers, and partners, giving you instant access to Euronet's complete smart energy and technology ecosystem in one place. Explore product Catalogues, compare solutions, access detailed specifications, save products, and stay updated with the latest innovations across solar energy, batteries, power & electrical, security, surveillance, and IoT solutions anytime, anywhere.

Scan the QR Code to Download the App



Download on the
App Store

GET IT ON
Google Play

EURONET CCTV & SURVEILLANCE Catalogue 2026

Complete surveillance solutions for residential and commercial security.

01

WIRED DVR KITS

- 4CH 2MP Wired DVR Kit
- 4CH 5MP Wired DVR Kit
- 8CH 2MP Wired DVR Kit
- 8CH 5MP Wired DVR Kit

Go to Page 01

02

WIRELESS NVR KITS

- 4CH 2MP Wi-Fi NVR Kit
- 8CH 2MP Wi-Fi NVR Kit

Go to Page 05

4CH 2MP WIRED DVR KIT

4-Channel Full Color 1080P AHD Security Kit with IR Night Color Vision



MODEL
EN-AHD-4-2MP

CHANNELS
4 Channel DVR

RESOLUTION
2MP | 1920x1080

NIGHT VISION
Up to 20m IR IR

VIDEO CODING
H.265 / H.264

WEATHERPROOF
IP66

OVERVIEW

The Euronet EN-AHD-4-2MP is a four-channel AHD wired CCTV kit delivering 1080P full HD surveillance for homes and small businesses. Included 2MP CMOS cameras with 3.6mm fixed lenses and auto IR cut filters provide seamless day/night switching with Up to 20m IR IR night vision, while coaxial transmission supports cable runs of up to 300m. Remote live view available at any time via the Euronet IoT App on iOS and Android.

KEY FEATURES

1080P Full HD Recording

Four 2MP CMOS cameras capture sharp 1920x1080 footage simultaneously across all four channels.

Auto IR Cut Night Color Vision

Auto IR Cut Night Color Vision: Automatically switches to clear Night Color Vision Up to 20m IR using built-in IR LEDs and

4-in-1 Video Output

Cameras support AHD/TVI/CVI/CVBS for maximum compatibility, while the DVR provides HDMI & VGA monitor outputs.

H.265/H.264 Compression

Maximizes storage efficiency for extended continuous or scheduled recording on SATA HDDs up to 10TB.

Live Audio Monitoring

Provides real-time sound alongside video via the Euronet IoT App for a complete picture of events.

Remote Viewing and Alerts

Manage everything via iOS or Android, featuring multi-channel live views, motion alerts, playback, and configuration.

TECHNICAL NOTE

System type AHD wired CCTV. Camera: image sensor CMOS; effective resolution 2MP (1920x1080); lens 3.6mm fixed; video output AHD/TVI/CVI/CVBS; day/night auto IR cut filter; white balance auto/manual; noise reduction 2D/3D digital; Night Color Vision Up to 20m IR IR; weatherproof IP66; power DC 12V. DVR: channels 4 video inputs; video output HDMI & VGA; USB 2x USB 2.0; network RJ45 Ethernet; video compression H.264/H.265; recording modes continuous/motion detection/scheduled; storage SATA HDD up to 10TB; video transmission coaxial cable up to 300m; operating temperature -10°C to 60°C. Default DVR login admin/user password 123456, change immediately after first login. Use 75-3 or 75-5 coaxial cable. Seal all cable entry points at installation to maintain IP66 protection.

4CH 5MP WIRED DVR KIT

4-Channel Ultra-HD 5MP AHD Security Kit with IR Night Vision



MODEL
EN-AHD-4-5MP

CHANNELS
4 Channel DVR

RESOLUTION
5MP | 2560×1920

NIGHT VISION
Up to 20m IR

VIDEO CODING
H.265 / H.264

WEATHERPROOF
IP66

OVERVIEW

The Euronet EN-AHD-4-5MP delivers four-channel 5-megapixel ultra-HD surveillance for environments where image detail and subject identification are critical. Included 5MP CMOS cameras with 3.6mm fixed lenses produce 2560×1920 footage with 2D/3D digital noise reduction and auto IR cut filter switching, while the 4-channel DVR records in H.265/H.264 with full remote access via the Euronet IoT App.

KEY FEATURES

5MP Ultra-HD Resolution
Captures sharp 2560×1920 details like faces and license plates with significantly more clarity than 2MP systems.

Auto IR Cut Night Color Vision
Automatically switches between full-color day and clear Night Color Vision Up to 20m IR using built-in IR LEDs and filters.

4-in-1 Video Output
Multi-format camera output supports AHD/TVI/CVI/CVBS for wide compatibility, while the DVR provides HDMI & VGA monitor outputs.

H.265/H.264 Efficient Recording
Optimizes storage efficiency across all channels to maintain high-quality 5MP footage on SATA HDDs up to 10TB.

Live Audio Monitoring
Captures and streams real-time sound alongside video for immediate review or playback through the Euronet IoT App.

Remote Viewing and Alerts
Control multi-channel live views, event playback, motion detection, and push alerts remotely via iOS or Android.

TECHNICAL NOTE

System type AHD wired CCTV. Camera: image sensor CMOS; effective resolution 5MP (2560×1920); lens 3.6mm fixed; video output AHD/TVI/CVI/CVBS; day/night auto IR cut filter; white balance auto/manual; noise reduction 2D/3D digital; Night Color Vision Up to 20m IR IR; weatherproof IP66; power DC 12V. DVR: channels 4 video inputs; video output HDMI & VGA; USB 2× USB 2.0; network RJ45 Ethernet; video compression H.264/H.265; recording modes continuous/motion detection/scheduled; storage SATA HDD up to 10TB; video transmission coaxial cable up to 300m; operating temperature -20°C to 50°C. Default DVR login admin/user password 123456, change immediately after first login. 5MP cameras deliver greater image detail at lower frame rates than 2MP variants; this is normal for this sensor class. Use 75-3 or 75-5 coaxial cable. Seal cable entry points at installation.

8CH 2MP WIRED DVR KIT

8-Channel Full Color 1080P AHD Security Kit for Larger Premises



MODEL
EN-AHD-8-2MP

CHANNELS
8 Channel DVR

RESOLUTION
2MP | 1920x1080

NIGHT VISION
Up to 20m IR

VIDEO CODING
H.265 / H.264

WEATHERPROOF
IP66

OVERVIEW

The Euronet EN-AHD-8-2MP expands full HD AHD wired coverage to eight simultaneous channels, making it the ideal surveillance solution for larger homes, retail premises, warehouses, and commercial sites. Eight 2MP CMOS cameras with 3.6mm fixed lenses deliver reliable daytime and IR night footage, while the 8-channel DVR provides centralised local and remote management via the Euronet IoT App.

KEY FEATURES

8-Channel Simultaneous Coverage
Records & monitors eight independent 1080P camera feeds simultaneously, providing comprehensive coverage.

Auto IR Cut Night Color Vision
Automatically switches between full-color day and clear Night Color Vision Up to 20m IR using built-in IR LEDs and filters.

4-in-1 Video Output
Cameras support AHD/TVI/CVI/CVBS for wide compatibility, while the 8-channel DVR provides HDMI and VGA monitor outputs.

H.265/H.264 Compression
Optimizes storage efficiency across all 8 channels to maximize capacity on SATA HDDs up to 10TB for extended recording.

Live Audio Monitoring
Streams real-time sound alongside video through the Euronet IoT App across all connected channels for enhanced awareness.

Remote Viewing and Alerts
Manage multi-channel live views, motion detection alerts, event history, and recording configurations remotely via iOS or Android.

TECHNICAL NOTE

System type AHD wired CCTV. Camera: image sensor CMOS; effective resolution 2MP (1920x1080); lens 3.6mm fixed; video output AHD/TVI/CVI/CVBS; day/night auto IR cut filter; white balance auto/manual; noise reduction 2D/3D digital; Night Color Vision Up to 20m IR IR; weatherproof IP66; power DC 12V. DVR: channels 8 video inputs; video output HDMI & VGA; USB 2x USB 2.0; network RJ45 Ethernet; video compression H.264/H.265; recording modes continuous/motion detection/scheduled; storage SATA HDD up to 10TB; video transmission coaxial cable up to 300m; operating temperature -10°C to 60°C. Default DVR login admin/user password 123456, change immediately after first login. Use 75-3 or 75-5 coaxial cable. Seal all cable entry points at installation.

8CH 5MP WIRED DVR KIT

8-Channel Ultra-HD 5MP AHD Security Kit, Maximum Resolution, Maximum Coverage



MODEL EN-AHD-8-5MP	CHANNELS 8 Channel DVR
RESOLUTION 5MP 2560×1920	NIGHT VISION Up to 20m IR IR
VIDEO CODING H.265 / H.264	WEATHERPROOF IP66

OVERVIEW

The Euronet EN-AHD-8-5MP is the flagship wired surveillance solution in the Euronet CCTV range, combining eight-channel coverage with 5-megapixel ultra-HD resolution. Designed for professional and commercial deployments where capturing fine detail across an entire site is essential, each of the eight 5MP CMOS cameras records at 2560×1920 with 2D/3D noise reduction and full remote access via the Euronet IoT App.

KEY FEATURES

Eight Channels of 5MP Ultra-HD Captures sharp 5MP (2560x1920) details like faces and license plates across eight independent cameras simultaneously.	Auto IR Cut Night Color Vision Auto-switches all eight cameras between full-color day and clear Night Color Vision Up to 20m IR.
4-in-1 Video Output Supports AHD/TVI/CVI/CVBS for wide camera compatibility, with HDMI and VGA outputs for local monitors.	H.265/H.264 Efficient Recording Compresses 8 high-resolution channels efficiently to maximize storage on SATA HDDs up to 10TB.
Live Audio Monitoring Streams real-time sound alongside video via the Euronet IoT App for complete situational awareness.	Remote Viewing and Alerts Provides an 8-channel live view, motion alerts, playback, and configuration via iOS or Android.

TECHNICAL NOTE

System type AHD wired CCTV. Camera: image sensor CMOS; effective resolution 5MP (2560×1920); lens 3.6mm fixed; video output AHD/TVI/CVI/CVBS; day/night auto IR cut filter; white balance auto/manual; noise reduction 2D/3D digital; Night Color Vision Up to 20m IR IR; weatherproof IP66; power DC 12V. DVR: channels 8 video inputs; video output HDMI & VGA; USB 2× USB 2.0; network RJ45 Ethernet; video compression H.264/H.265; recording modes continuous/motion detection/scheduled; storage SATA HDD up to 10TB; video transmission coaxial cable up to 300m; operating temperature -10°C to 60°C. Default DVR login admin/user password 123456, change immediately after first login. Note: 5MP resolution delivers greater image detail at lower frame rates than 2MP variants; this is normal for this sensor class. Use 75-3 or 75-5 coaxial cable. Seal cable entry points at installation.

4CH 2MP WI-FI NVR KIT

4-Channel Wireless Full HD Security Kit, Cable-Free Installation



MODEL
EN-Wi-Fi-4-2MP

CHANNELS
4 Channel NVR

RESOLUTION
2MP | 1920x1080

NIGHT VISION
Up to 20m IR

VIDEO CODING
H.265 / H.264

WEATHERPROOF
IP66

OVERVIEW

The Euronet EN-Wi-Fi-4-2MP eliminates video cabling by connecting cameras wirelessly to the NVR via its built-in wireless network card. Four IP66-rated 2MP cameras with 3.6mm fixed lenses deliver 1920x1080 full HD footage with Up to 20m IR Night Color Vision and a built-in microphone for live audio monitoring. The system is ideal for locations where running cables is difficult or impractical.

KEY FEATURES

Cable-Free Camera Connection

Built-in wireless (802.11 b/g/n) connects all four cameras to the NVR without video cables.

4CH 1080P Real-Time Recording

Records four 1080P channels simultaneously using efficient H.265/H.264 compression on SATA HDDs up to 10TB.

20m Night Color Vision

Auto-switches between day and night modes for clear low-light footage Up to 20m IR.

Built-in Microphone & Live Audio

Captures real-time audio alongside video, accessible instantly via the Euronet IoT App on iOS or Android.

HDMI / VGA Output & USB Backup

Connects directly to local monitors via HDMI/VGA and supports easy video export via USB.

IP66 Weatherproof Cameras

Durable, outdoor-rated cameras built to operate reliably in temperatures from -10°C to 60°C.

TECHNICAL NOTE

System type wireless CCTV surveillance. NVR: channels 4CH; video resolution 2MP (1920x1080); video compression H.265/H.264; real-time recording 4CH 1080P; video output HDMI/VGA; network connectivity built-in wireless network card; network protocols TCP/IP, HTTP, DHCP, PPPoE, DNS, DDNS, FTP, NTP, SMTP, RTSP, UPNP; mobile monitoring iOS and Android; storage 1x HDD up to 10TB; backup USB HDD/USB disk; operating temperature -10°C to 60°C; working humidity 10-90%. Wi-Fi camera: resolution 2MP (1920x1080); lens 3.6mm fixed; video codec H.264; audio built-in microphone; Night Color Vision Up to 20m IR; network wireless 802.11 b/g/n; video stream 1920x1080/18fps; sub-stream 704x576/18fps; waterproof IP66; power DC 12V. Ensure all cameras are within reliable wireless range of the NVR before finalising installation positions. Place the NVR centrally relative to camera locations for best signal coverage.

8CH 2MP WI-FI NVR KIT

8-Channel Wireless Full HD Security Kit, Scalable Cable-Free Coverage



MODEL
EN-Wi-Fi-8-2MP

CHANNELS
8 Channel NVR

RESOLUTION
2MP | 1920x1080

NIGHT VISION
Up to 20m IR

VIDEO CODING
H.265 / H.264

WEATHERPROOF
IP66

OVERVIEW

The Euronet EN-Wi-Fi-8-2MP brings wireless eight-channel 1080P surveillance to homes and businesses where running extensive camera cabling is not practical. All eight IP66-rated 2MP cameras with 3.6mm fixed lenses connect wirelessly to the NVR's built-in wireless network card, each featuring a built-in microphone for live audio alongside video. Full remote management is provided through the Euronet IoT App.

KEY FEATURES

8-Channel Wireless Coverage

Connects eight cameras wirelessly to the NVR via built-in Wi-Fi, eliminating the need for video cabling.

8CH 1080P Real-Time Recording

Records eight 1080P channels simultaneously using efficient H.265/H.264 compression for smooth, full-site coverage.

20m Night Color Vision

Auto-switches to clear monochrome Night Color Vision Up to 20m IR for reliable surveillance in complete darkness.

Built-in Microphone & Live Audio

Captures real-time audio alongside video, accessible instantly via the Euronet IoT App on iOS or Android.

Live Audio Monitoring

Provides real-time audio capture alongside video through the Euronet IoT App across all eight channels.

IP66 Weatherproof Cameras

Rugged, outdoor-rated cameras built to operate reliably from -10°C to 60°C and up to 90% humidity.

TECHNICAL NOTE

System type wireless CCTV surveillance. NVR: channels 8CH; video resolution 2MP (1920x1080); video compression H.265/H.264; real-time recording 8CH 1080P; video output HDMI/VGA; network connectivity built-in wireless network card; network protocols TCP/IP, HTTP, DHCP, PPPoE, DNS, DDNS, FTP, NTP, SMTP, RTSP, UPNP; mobile monitoring iOS and Android; storage 1x HDD up to 10TB; backup USB HDD/USB disk; operating temperature -10°C to 60°C; working humidity 10-90%. Wi-Fi camera: resolution 2MP (1920x1080); lens 3.6mm fixed; video codec H.264; audio built-in microphone; Night Color Vision Up to 20m IR; network wireless 802.11 b/g/n; video stream 1920x1080/15fps; sub-stream 704x576/15fps; waterproof IP66; power DC 12V. Note: 8CH system cameras stream at 15fps vs 18fps on the 4CH variant due to bandwidth distribution across more channels. Position the NVR centrally relative to all camera locations. Ensure all cameras are within reliable wireless range before finalising installation.



Engineered for Performance. Built for Reliability

Delivering innovative power, energy storage, security, and technology solutions designed for efficiency, durability, and long-term value

Certifications & Standards

**CB
MARKED**

International Safety
Certification

**CE
MARKED**

European Conformity
Marked

**IEC
COMPLIANT**

International
Electrotechnical Commission

**ISO
9001:2015**

Quality
Management

Power Beyond

Efficient · Intelligent · Reliable

www.euronet.co